

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.

L Number	Hits	Search Text	DB
1	2	("6587097") .PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	2	("6581097") .PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	288597	search or query	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	79806	(search or query) and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	7932	((search or query) and database) and first and second with (search or query)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	707	((search or query) and database) and first and second with (search or query)) and (zero or no empty) with (set\$3 result\$3 match\$3) with first	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	37	((search or query) and database) and first and second with (search or query)) and (zero or no empty) with (set\$3 result\$3 match\$3) with first) and device with name	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	372669	(zero no empty) with (match\$2 result\$2 hit\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	13468	((zero no empty) with (match\$2 result\$2 hit\$2)) and criteria and (search or query)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	12844	((zero no empty) with (match\$2 result\$2 hit\$2)) and criteria and (search or query)) and first and second	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	837	((zero no empty) with (match\$2 result\$2 hit\$2)) and criteria and (search or query)) and first and second) and (group divide or split) with criteria	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	225	((zero no empty) with (match\$2 result\$2 hit\$2)) and criteria and (search or query)) and first and second) and (group divide or split) with criteria) and display with result	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	15	((zero no empty) with (match\$2 result\$2 hit\$2)) and criteria and (search or query)) and first and second) and (group divide or split) with criteria) and display with result) and (partial or incomplete) with match	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

-	3	((((zero no empty) with (match\$2 result\$2 hit\$2)) and criteria and (search or query)) and first and second) and (group divide or split) with criteria) and display with result) and (partial or incomplete) with (match) same display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	152514	(fax or device or printer) with (attribut\$2 propert\$3 profile)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	2922	((fax or device or printer) with (attribut\$2 propert\$3 profile)) and (query or search) with (fax or device or printer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	31	((fax or device or printer) with (attribut\$2 propert\$3 profile)) and (query or search) with (fax or device or printer) ) and (partial incomplete ("not" adj complete)) with (match hit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	0	jp07908867a	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	0	jp07302267a	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	0	JP07302267a	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	0	JP07302267A	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	0	("not" with (present available)) with device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	3804518	("not" with (present available))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	0	((("not" with (present available))) and (fax or device or printer) with (search or query)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	8	((("not" with (present available))) and (fax or device or printer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	3846852	("not" with (present available) unavailable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	9736	((("not" with (present available) unavailable)) and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

-	3606	("not" with (present available) unavailable) with (fax or device or printer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;
-	71	((("not" with (present available) unavailable) with (fax or device or printer) ) and second with (query or search))	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;
-	840	(query or search) with (device or fax or printer) with (profile attribute\$ propert\$3)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;
-	102	((query or search) with (device or fax or printer) with (profile attribute\$ propert\$3)) and ((partial incomplete) with (match hit) unavailable)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;
-	102	((query or search) with (device or fax or printer) with (profile attribute\$ propert\$3)) and ((partial incomplete) with (match hit) unavailable ("not" with present))	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;
-	24	((((query or search) with (device or fax or printer) with (profile attribute\$ propert\$3)) and ((partial incomplete) with (match hit) unavailable ("not" with present))) and second with (query or search)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;
-	13224	(search query) with (term or criteria)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;
-	1628	((search query) with (term or criteria)) and second with query	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;
-	1730	((search query) with (term or criteria)) and (second refine) with query	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;
-	4174	((search query) with (term or criteria)) and (second refine) with (search query)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;
-	785	((((search query) with (term or criteria)) and (second refine) with query) and (no zero empty) with (result\$2 or match\$2 hit\$2))	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;
-	650	(((((search query) with (term or criteria)) and (second refine) with query) and (no zero empty) with (result\$2 or match\$2 hit\$2)) and (device or fax or printer))	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;
-	2	((((((search query) with (term or criteria)) and (second refine) with query) and (no zero empty) with (result\$2 or match\$2 hit\$2)) and (device or fax or printer)) and display with (attribut\$2 or propert\$4) with (device or fax or printer))	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;
-	90	((((((search query) with (term or criteria)) and (second refine) with query) and (no zero empty) with (result\$2 or match\$2 hit\$2)) and (device or fax or printer)) and display with (attribut\$2 or propert\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

69	(((((search query) with (term or criteria)) and (second refine) with query) and (no zero empty) with (result\$2 or match\$2 hit\$2)) and (device or fax or printer)) and display with (attribut\$2 or propert\$4)) and (707/\$ or 345/\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
472	((search query) with (term or criteria)) and (second refine) with query) and (no zero empty) near3 (result\$2 or match\$2 hit\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
296	((search query) with (term or criteria)) and (second refine) with query) and (no zero empty) near (result\$2 or match\$2 hit\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
241	((search query) with (term or criteria)) and (second refine) with query) and (no zero empty) near (result\$2 or match\$2 hit\$2)) and (707/\$ or 345/\$ 709/\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
241	((search query) with (term or criteria)) and (second refine) with query) and (no zero empty) near (result\$2 or match\$2 hit\$2)) and (707/\$ or 345/\$ 709/\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
101	((search query) with (term or criteria)) and (second refine) with query) and (no zero empty) near (result\$2 or match\$2 hit\$2)) and (707/\$ or 345/\$ 709/\$)) and device with (search or query)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
918	(primary and secondary) with (search or query)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
71	((primary and secondary) with (search or query)) and primary with (zero or none)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	((primary and secondary) with (search or query)) and primary with (zero or none)) and (device or printer or fax) with (query or search)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
605	(reduce or remove delete) with (term\$2 or criteria or condition\$2) with (query or search)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
186	((reduce or remove delete) with (term\$2 or criteria or condition\$2) with (query or search)) and (device or printer or fax) with (query or search)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
103	((reduce or remove delete) with (term\$2 or criteria or condition\$2) with (query or search)) and (device or printer or fax) with (query or search)) and second\$4 with (search or query)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
75	((reduce or remove delete) with (term\$2 or criteria or condition\$2) with (query or search)) and (device or printer or fax) with (query or search)) and second\$4 with (search or query)) and (zero or no empty) with (set\$2 result\$2 match\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
83693	((zero or no empty) with (set\$2 result\$2 match\$3) absence "not" with present) with (device printer fax attribute or property)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

-	1010	((zero or no empty) with (set\$2 result\$2 match\$3) absence "not" with present) with (device printer fax attribute or property) and second with (query search)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	28	((zero or no empty) with (set\$2 result\$2 match\$3) absence "not" with present) with (device printer fax attribute or property) and second with (query search)) and (reduce or remove delete) with (term\$2 or criteria or condition\$2) with (query or search)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	82	absen\$3 with device with (query or search)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	21	(absen\$3 with device with (query or search)) and second with (query or search)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	23	(absen\$3 with device with (query or search)) and second\$ with (query or search)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	2	((absen\$3 with device with (query or search)) and second\$ with (query or search)) not ((absen\$3 with device with (query or search)) and second with (query or search))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	1082	((zero or no empty) with (set\$2 result\$2 match\$3) absence "not" with present) with (device printer fax attribute or property) and second\$ with (query search)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	102	((zero or no empty) with (set\$2 result\$2 match\$3) absence "not" with present) with (device printer fax attribute or property) and second\$ with (query search)) and (reduce or remove delete) with (term\$2 or criteria or condition\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	4	5956707.URPN.	USPAT
-	7	("3987281"   "5136538"   "5212791"   "5216593"   "5353229"   "5671404"   "5758332").PN.	USPAT
-	423546	find or locate with device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	60205	(find or locate) with device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	3526	((find or locate) with device) and device with (propert\$3 or attribut\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	540	((find or locate) with device) and device with (propert\$3 or attribut\$2)) and (search or query) with device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	169	((find or locate) with device) and device with (propert\$3 or attribut\$2)) and (search or query) with device) and (second\$3 with (query or search) or research or re-search)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

-	0	(((((find or locate) with device) and device with (propert\$3 or attribut\$2)) and (search or query) with device) and (second\$3 with (query or search) or research or re-search)) and query with relaxation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDE
-	0	(((((find or locate) with device) and device with (propert\$3 or attribut\$2)) and (search or query) with device) and (second\$3 with (query or search) or research or re-search)) and query with relax\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDE
-	89	(((((find or locate) with device) and device with (propert\$3 or attribut\$2)) and (search or query) with device) and (second\$3 with (query or search) or research or re-search)) and (707/\$ 345/\$ 709/\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDE
-	2	6295527.URPN.	USPAT
-	9	("5261044"   "5388259"   "5796951"   "5813009"   "5963938"   "6006214"   "6009466"   "6023696"   "6078924").PN.	USPAT
-	10	5760775.URPN.	USPAT
-	30	("4970554"   "5270775"   "5353388"   "5383129"   "5384620"   "5423043"   "5450571"   "5467434"   "5475801"   "5483653"   "5495561"   "5499369"   "5506661"   "5528734"   "5566278"   "5572632"   "5579087"   "5619649"   "5644682"   "5715379"   "5754830"   "5760775"   "5790119"   "5828855"   "5974443"   "5978560"   "6031623"   "6173295"   "RE37258"   "6370521").PN.	USPAT USPAT
-	0	6581097.URPN.	USPAT